



Product Service

Attestation of Conformity

No. E8A 003834 0028 Rev. 00

Holder of Certificate: **Analog Power Electronic Co., Ltd.**
No. 6 Julong Road, Xiache Gang, Gekeng, Hengli Town
523469 Dongguan City, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Name of Object: **Adaptors**
(SWITCHING ADAPTER)

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with all essential requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: www.tuvsud.com/ps-cert

Test report no.: 64760210392501

Date, 2021-09-17

(Tony Liu)

Page 1 of 3

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Attestation of Conformity

No. E8A 003834 0028 Rev. 00

Model(s):

BZ030-xxxyyy-ww

1. xxx=084-378, stands for the rated output voltage range 8.4-37.8VDC with step of 0.1V;
2. yyy=001-300, stands for the rated output current range 0.01-3.00A with step of 0.01A;
3. ww=AG, AB, AU, AC, AJ, AK, AA, AH, AP, AT, AM, AR, AI and AS, stands for different plug type, "AG" for European plug, "AB" for United Kingdom plug, "AU" for United States of America plug, "AC" for China plug, "AJ" for Japan plug, "AK" for Korea plug, "AA" for Australia plug, "AH" for Brazil plug, "AP" for Singapore plug, "AT" for Taiwan plug, "AM" for Mexico plug, "AR" for Argentina plug, "AI" for India plug, "AS" for South Africa plug.

Description of Object:

Rated Input: 100-240VAC, 50/60Hz, 0.8A Max
 Rated Output: See model list
 Protection Class: II

Model name	Rated output voltage (VDC)	Rated output current (A)	Max. rated output power (W)	Transformer type
BZ030-xxxyyy-ww	8.4-12.6	0.01-2.50	24.0	BZ030-T-1x (x=A-Z or blank, for marketing purpose)
	8.4-12.6	0.01-3.00	30.0	BZ030-T-2x (x=A-Z or blank, for marketing purpose)
	12.7-18.0	0.01-2.30	30.0	BZ030-T-3x (x=A-Z or blank, for marketing purpose)
	18.1-25.2	0.01-1.50	30.0	BZ030-T-4x (x=A-Z or blank, for marketing purpose)
	25.3-37.8	0.01-1.15	30.24	BZ030-T-5x (x=A-Z or blank, for marketing purpose)

Remark:

1. xxx=084-378, stands for the rated output voltage range 8.4-37.8VDC with step of 0.1V;
2. yyy=001-300, stands for the rated output current range 0.01-3.00A with step of 0.01A;
3. ww=AG, AB, AU, AC, AJ, AK, AA, AH, AP, AT, AM, AR, AI and AS, stands for different plug type, "AG" for European plug, "AB" for United Kingdom plug, "AU" for United States of America plug, "AC" for China plug, "AJ" for Japan plug, "AK" for Korea plug, "AA" for Australia plug, "AH" for Brazil plug, "AP" for Singapore plug, "AT" for Taiwan plug, "AM" for Mexico plug, "AR" for Argentina plug, "AI" for India plug, "AS" for South Africa plug.

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



Product Service

Attestation of Conformity

No. E8A 003834 0028 Rev. 00

**Tested
according to:**

EN 55014-1:2017
EN 55014-1:2017/A11:2020
EN 55014-2:2015
EN IEC 61000-3-2:2019
EN 61000-3-3:2013/A1:2019

Page 3 of 3

After preparation of the necessary technical documentation as well as the EU Declaration of conformity the required CE marking can be affixed on the product. That Declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.